
Constrained Multiresolution Geometric Modeling

Stefanie Hahmann¹ and Gershon Elber²

¹ Laboratoire LMC-IMAG, Institut National Polytechnique de Grenoble, France
`Stefanie.Hahmann@imag.fr`

² Technion - Israel Institute of Technology, Haifa 32000, Israel
`gershon@cs.technion.ac.il`

Summary. This paper surveys the state-of-the-art of geometric modeling techniques that integrate constraints, including direct shape manipulation, physics-based modeling, solid modeling and freeform deformations as well as implicit surface modeling. In particular, it focuses on recent advances of multiresolution modeling of shapes under constraints.

1 Introduction

Freeform curves, surface and solids are generally represented in B-spline basis. Various geometric quantities, such as control points, knots and weights have to be specified. Controlling the shape of an object under complex deformations by manipulating the control points directly is often difficult. The movement of control points gives an indication of the resulting deformation, but being extraneous to the object, the control points do not allow for precise control of the shape. In addition, large deformations of complex objects with many details to be preserved become nearly impossible without any "higher level" control mechanisms. User-friendly shape-control tools, therefore, generally make use of modeling techniques that integrate constraints. The present paper surveys the state-of-the-art of geometric modeling techniques that integrate constraints, including direct shape manipulation, physics-based modeling, solid modeling and freeform deformations as well as implicit surface modeling. In particular, we will focus on recent advances of multiresolution modeling of shapes under constraints. Going beyond the limits of traditional modeling techniques, they allow for editing of complex objects while automatically preserving the details.

2 Interactive freeform techniques

Controlling the shape of an object under complex deformations is often difficult. The traditional approach to interacting with deformable objects is to manipulate control points since they allow precise control over models. CAGD textbooks by Farin [Far96], Hoschek and Lasser [HL93], and Cohen et al. [CRE01] cover the complete theory of parametric freeform curve and surface representations such as NURBS curves and tensor product surfaces, triangular Bézier patches, n -sided patches, but also Coons and Gregory surfaces. Limited by the expertise and patience of the user, the direct use control points as the manipulation handles necessitates an explicit specification of the deformation. Therefore, large deformations can be extremely difficult to achieve because they mandate moving a huge number of individual control points by hand, and the precise modification of the freeform object can be laborious. Deformation tools based on geometric constraints offer more direct control over the shape. In this section high-level interactive freeform curve and surface manipulation techniques are presented. These use either geometric constraints as direct deformation handles (Sect. 2.1) or as definitions of functional behavior via geometric properties (Sect. 2.2). Finally, geometry-driven (freeform) solid modeling techniques are described (Sect. 2.3).

2.1 Direct curve and surface manipulation

Rather than manipulating control points, Bartels and Beatty show in [BB89] how to pick any point on a B-spline curve and change its location, i.e. the curve is constrained to pass through a user-specified location. The new curve shape is computed by minimizing the control point's offset. In [FB93] Fowler and Bartels control the shape of a B-spline curve by enforcing prescribed geometric constraints, such as the position of a curve point, tangent direction and magnitude, or curvature magnitude. An extension to tensor product B-spline surfaces is given in [Fow92]. This satisfies the user-defined position of surface points, normal direction, tangent plane rotation (twisting effect), and the first partial derivative's magnitude (tension effect). Borel and Rapoport [BR94] deform B-spline surfaces by determining the displacement and radius of influence for each constrained surface point. Hsu et al. [HHK92] propose points picking for freeform deformations. Curve constraints, i.e. enforcing the surface to contain a given curve or to model a character line, have been considered in [CW92, GL96, PGL02]. Direct shape manipulation techniques are closely related to Variational Design, where the objective of obtaining fair and graceful shapes is achieved by minimizing some energy, see Sect. 4.1. In general, a freeform shape has much more degrees of freedom than constraints to satisfy. In order to compute a new shape the remaining degrees of freedom are prescribed by minimizing some energy functional, such as bending. For example, Welch et al. [WW92] maintains the imposed constraints while calculating a surface that is as smooth as possible. Celniker and Welch [CW92]

derive interactive sculpting techniques for B-spline surfaces based on energy minimization, keeping some linear geometric surface-constrained features unchanged. Celniker and Gossard [CG91] enforce linear geometric constraints for shape design of finite elements governed by some surface energy. While energy minimization affects the surface globally, finite element methods allow for local control. Forsey and Bartels [FB88] later used the technique of hierarchical B-splines attempt to overcome this drawback for B-spline surfaces.

2.2 Feature Modeling

Constrained geometric modeling also occurs in feature modeling – a quite different context. Geometric modeling tools are commonly used in various phases of product development, for example, to generate product images or NC-code. Many applications, however, require functional information that is not contained in geometric models. A feature in a product model combines geometric information with functional information, such as information about its function for the user in a design application, or its manufacturing process in a manufacturing application. Features are higher level entities compared to the underlying geometry and as such are easier to maintain and manipulate at the user level.

The concept of features has been investigated mainly in mechanical environments [DFG94, Ros90]. This is due to the fact that classical mechanical parts are defined by canonical geometry shapes, which can easily be classified. Constraints occur at different stages in feature modeling. In [BB00], a semantic feature modeling approach is presented. All properties of features including their geometric parameters, their boundaries, their interactions, and their dependencies, are declared by means of constraints. Another issue in feature modeling is feature validation, which concerns the meaning of a feature, given by its information content [DKB96]. A feature modeling system should ensure that product modifications by a user are in accordance with the meaning of the features. Herein constraints are used to specify such feature validity conditions; constraint satisfaction techniques are applied to maintain feature validity under product modifications from multiple views.

More recently, freeform feature modeling approaches have been developed in [CM92, Vos99, VVB03]. In contrast to the feature-based approach adopted by CAD systems for classical mechanical design, freeform features are strongly related to aesthetic or styling aspects when modeling with freeform surfaces. The Brite-Euram Project called FIORES (Formalization and Integration of an Optimized Reverse Engineering Styling Workflow) focused on the development of modeling tools for direct shape modifications closer to the stylist's way of thinking [DP98]. Here again, properties of aesthetic features are expressed in terms of constraints, including convexity, shape preserving deformations, eliminations and cuts, and continuity conditions [FGM99].

Surface pasting is a freeform feature modeling technique that composes surfaces to construct surfaces with varying levels of detail. A feature is placed

on top of an existing surface to provide a region of increased detail. In [BBF99] B-spline surfaces, called features, are applied to any number of B-spline surfaces, called base surface, in order to add details on the base surface. Improvements and further developments of pasting techniques for B-spline surfaces can be found in [CM99, MY01].

2.3 Solid modeling

The history of solid modeling goes back to the 1980s when the term "solid modeling" was introduced; see survey papers [RV82, RR92]. This was also the period when early advances were motivated primarily by the mechanical engineering industry. Traditional solid modeling approaches include implicit functions (CSG and blubby models), boundary representations and cell decompositions. The use of constraints has mainly been developed from interaction with freeform solids.

Sederberg and Parry [SP86] developed a technique for globally deforming solid models in a free-form manner, called free-form deformation (FFD). The three-dimensional object to be deformed is embedded in a three-dimensional parametric space, called the control lattice. The vertices of the object are assigned parametric values that depend on their positions inside the parametric solid (usually a Bézier or B-spline solid). A deformation applied to the solid via its control points deforms the embedded object in response. FFD lattices can be patches together to provide local control over the deformation. Coquillart [Coq90] extended FFD to non-parallelepipedal lattices, represented by rational splines. Hsu et al. [HHK92] improved the traditional FFD with a technique that allowsn the user to manipulate the embedded object directly. It computes how the Bézier (or B-spline) control points must move in order to produce the desired deformation. Shi-Min et al. [SHC01] proposed a similar scheme in which an FFD function is computed based on the manipulation and translation of a single point. Complex deformations are then achieved via the composition of several such single-point FFDs. MacCracken and Joy [MJ96] generalized FFD by incorporating arbitrary-topology subdivision-based lattices.

Rappoport et al. [RSB95] derived a method for modeling tri-variate Bézier solids while *preserving the volumes*. Different solids can be patched together at their boundaries to create a more complex object. Their algorithm uses an energy minimization function whose purpose is to preserve the volume during sculpting. In addition to the volume-preserving constraint, their system can satisfy interpatch continuity constraints, positional constraints, attachment constraints, and inter-point constraints.

Hirota et al. [HML99] developed an algorithm for *preserving the global volume* of a B-rep solid undergoing a free-form deformation. Following a user-specified deformation the algorithm computes the new node positions of the deformation lattice, while minimizing an energy functional subject to the volume preservation constraint. During initialization, each triangle in the surface

is projected onto the x-y plane, and the volume under the triangle is stored. During the deformation process, this volume is constantly re-computed and compared to the original. By taking the difference between the volumes of the original and deformed volume elements, the total change in volume is computed.

Self-intersection could clearly occur in the FFD function. Local self-intersection can be identified via the vanishing Jacobian of the FFD, an approach proposed in [GD01].

3 Implicit Surfaces

Implicit surfaces have sparked great interest in the computer graphics and animation community [WMW86, BS91, DG95, PAS95, WGG98], with applications for geometric modeling and scientific visualization [LC87]. Deformations of implicit surfaces can be obtained intuitively by articulating the skeleton or by changing the parameters of implicit primitives that hierarchically define the surface [Can98, CD97]. Another, more intricate way to deform implicit models is to change the iso-surface progressively by modifying the sample field function defining it [WB98, DC98].

Two kinds of constraints are particularly easy to integrate. First, collision detection can be accelerated, since in-out functions are provided. Second, implicit surfaces provide a good tool for physics-based animation; see Sect. 4.

The volume of an implicit object is another constraint that it is important to preserve during deformation [DG95, CD97, DC98]. For example, volume constant deformations in a morphing process can make virtual objects look like real ones. A more complete overview on implicit surface modeling can be found in [Blo97].

4 Physics-based modeling

Physics-based modeling attaches physical properties to geometric structures in order to achieve better or more fair shapes for design purposes, or in order to increment realism in computer animations. The constraints are formulated in terms of energy functionals or kinetic and mass laws that are, in many cases, non-linear.

4.1 Variational shape design

Although it is difficult to exactly define, in mathematic terms, what *fairness* of a curve or surface is, it is commonly accepted that smooth and graceful shapes are obtained by minimizing the amount of energy stored in the surface. The energy functionals originating from elasticity theory are in general non-linear, such as the bending energy for curves $\int \kappa^2(t)dt$ or the thin-plate energy

for surfaces $\int \kappa_1^2 + \kappa_2^2 dA$. These and other higher order non-linear energy functionals have been used in [MS92, Gre94].

In order to accelerate computations, linearized versions of these energy functionals are generally used; see, for example, [CG91, CW92, WW92, GC95]

$$\mathcal{E} = \int_{\sigma} (\alpha \text{ stretch} + \beta \text{ bend}) d\sigma$$

where α and β are weights on stretching and bending. This produces a surface which tends to minimize its area to avoid folding and to distribute curvature over large regions in order to result in fair shapes. The stretch-and-bend functionals are typically approximated via the following quadratic terms: $\alpha_{11}X_u^2 + \alpha_{12}X_uX_v + \alpha_{22}X_v^2$ and $\beta_{11}X_{uu}^2 + \beta_{12}X_{uv}^2 + \beta_{22}X_{vv}^2$, respectively, only to be linearized in the optimization process.

Historically, use of such energy functionals goes back to early spline and CAGD literature [Meh74, Rei67] and has led to a research area, called Variational Design of smooth curves and surfaces, today [FRS87, HS87, HS92, BH94, Hah98].

4.2 Dynamic modeling

Deformations of objects are obtained by externally applying forces. The dynamic approach based on well-established laws of physics aims to produce smooth and natural motions in order to create realistic-looking computer animation. Traditional animation techniques [Las87] have to be considered as well. To synthesize convincing motions, the animator must specify the variables at each instant in time, while also satisfying kinematic constraints.

Terzopoulos et al. [TPB87] introduced freeform deformable models to computer graphics, pioneering the development of dynamic parametric curves, surfaces and solids. Animation of implicit surfaces goes back to [WMW86]. Gravitational, spring, viscous and collision forces applied to the geometric model act as constraints when deforming objects. Non-linear dynamic behavior [TF88] results from simulating inelastic deformation. Different dynamic behavior of deformable objects has been developed by many varying the imposed constraints, the numerical solution method or by applying these to different geometric models, including modal dynamics [PW89], animation of non-rigid articulated objects [WW90], FEM-based methods [CG91], D-Nurbs [TQ94], implicit surfaces [DG95], deformable voxel methods [CZK98] and dynamic subdivision surfaces [QMV98]. In [PLH02], dynamic parameters are directly evaluated over B-spline curves, while parameterization of the curve is ignored.

5 Multiresolution Editing

Multiresolution analysis has received considerable attention in recent years in many fields of computer graphics, geometric modeling and visualization

[SDS96, WW01]. It provides a powerful tool for efficiently representing functions at multiple levels-of-detail with many inherent advantages, including compression, LOD display, progressive transmission and LOD editing.

In the literature the term multiresolution (MR) is employed in different contexts, including wavelets, subdivision and hierarchies or multigrids. Multiresolution representations based on wavelets have been developed for parametric curves [CQ92, LM92, FS94], and can be generalized to tensor-product surfaces, to surfaces of arbitrary topological type [LDW97], to spherical data [SS95], and to volume data [CMP97]. Wavelets provide a rigorous unified framework. Herein, a complex function is decomposed into a "coarser" low resolution part, together with a collection of detail coefficients, necessary to recover the original function. Other multiresolution representations exist for data defined on irregular meshes [BHN96, Bon98], for arbitrary meshes [ZSS97, KCV98, EDD95, Hop96], for tensor product surfaces, known as hierarchical B-splines [FB88], and for volumetric data sets represented using tri-variate functions [RE99].

In the context of geometric modeling, LOD editing is an attractive MR application because it allows the modification of the overall shape of a geometric model at any scale while automatically preserving all fine details. In contrast to classical control-point-based editing methods where complex detail-preserving deformations need to manipulate a lot of control points (see Sect. 2), MR methods can achieve the same effect by manipulating only a few control points of some low resolution representation; see [FS94, SDS96]. However, there are application areas, including CAGD and computer animation, where deformations under constraints are needed. As stated in the introduction, it is obvious that constraints offer an additional and finer control of the deformation applied to curves and surfaces.

Continuing the previous sections, the present section reports on constrained modeling methods using MR representations. Section 5.1 presents an LOD editing method for B-spline curves and surfaces that allows the integration of linear and non-linear geometric constraints, including fixed position, symmetry and constant area. Section 5.2 presents wavelet-based MR curve editing methods preserving area and length of curves. Section 5.3 is about variational MR methods, where minimum energy is the constraint to be satisfied. Finally, Section 5.4 describes MR subdivision methods.

5.1 Constrained Multiresolution control

Multiresolution editing of freeform curves

In [FS94, GC95], a wavelet decomposition for uniform cubic B-splines is presented toward interactive and intuitive manipulation of freeform shape. In [KE97], results from [LM92] are similarly employed toward the support of non uniform knot sequences. While local support is considered the major advantage of the B-spline representation, it is also its achilles heel. Global

changes are fundamentally difficult to apply to a highly refined shape and a painstaking laborious manual effort is required to move one control point at a time. The ability to decompose a given freeform B-spline curve or a surface as offered by [FS94, GC95, KE97] is a large step in the direction that alleviates these difficulties. The user can now modify the shape locally or globally as he/she see fits. In Figure 1, a single select-and-drag operation is applied to a non uniform quadratic B-spline curve at six different resolutions. The outcome clearly shows the power of multiresolution editing, allowing for both local and global control.




Fig. 1. Multiresolution manipulation of a non uniform quadratic B-spline curve with 138 control points. In all six images (a)-(f), a single select-and-drag operation was applied to the top of the 's' letter in the upward direction.

Let $C(t) = \sum_{i=0}^{n-1} P_i B_{i,\tau,k}(t)$ be a planar non uniform B-spline curve of order k and n control points. Let the knot sequence of $C(t)$ be

$$\tau = \{t_0, t_1, \dots, t_{k-1}, \dots, t_n, \dots, t_{n+k-1}\}.$$

$C(t)$ is defined for the domain $[t_{k-1}, t_n]$. The knots from t_k to t_{n-1} are denoted the *interior knots* and their removal does not affect the domain of $C(t)$.

The knot sequence of τ , together with the order k , define a subspace Φ of piecewise polynomial functions. This subspace contains all polynomial functions but also piecewise polynomials with potential discontinuities at each of the interior knots, depending on the multiplicity of the knot. Let $\tau_0 = \tau$ and further let $\tau_{i+1} \subset \tau_i$ by removing only interior knots from τ_i . Then:

- The domain spanned by all the τ_i is the same and equal to $[t_{k-1}, t_n)$, $\forall i$.
- The subspace Φ_{i+1} induced by τ_{i+1} and k is a strict subspace of Φ_i . That is $\Phi_{i+1} \subset \Phi_i$.

Clearly $C(t) \in \Phi_0$. Denote $C(t)$ as $C_0(t)$. Let Φ_1 be a new subspace formed out of Φ_0 , by removing a single knot $t_j = \tau_0/\tau_1$. We seek to find the orthogonal projection, under the L_2 norm, of $C_0(t)$ onto Φ_1 . Denote this projection by $C_1(t) \in \Phi_1$ and let the difference be $D_1(t) = C_0(t) - C_1(t)$. We call $C_1(t) = \sum_{i=0}^{n-2} Q_i B_{i,\tau_1,k}(t)$ a low resolution version of $C_0(t)$ and $D_1(t)$ the details. $D_1(t)$ is in a new subspace $\Psi_0 \subset \Phi_0$ which means we can express $D_1(t)$ in terms of the basis functions of Ψ_0 as

$$D_1(t) = \sum_{i=0}^{n-1} d_i B_{i,\tau_0,k}(t).$$

$D_1(t) \in \Psi_1$ is orthogonal to the space of Φ_1 . Hence, the following must hold,

$$0 = \langle D_1(t), B_{m,\tau_1,k} \rangle = \sum_{i=0}^{n-1} d_i \langle B_{i,\tau_0,k}, B_{m,\tau_1,k} \rangle. \quad (1)$$

It turns out that equation (1) completely prescribes the coefficients of $D_1(t)$ up to uniform scaling of the function. This $D_1(t)$ is also known as the *B-wavelet* function of knot t_j in subspace Ψ_0 . Figure 2 presents the orthogonal projection of our “multiresolution” curve onto several subspaces, all the way to a single Bezier curve.




Fig. 2. Projections (in thick gray) of the original “multiresolution” curve from Figure 1 (in thin line) over different spline subspaces are presented. The top left is the smallest space (single quadratic polynomials) all the way to the bottom right which is the original space.

Unfortunately, the computation of the coefficients of $D_1(t)$, following Equations (1) is expensive, as it necessitates the resolution of products and integrals of B-spline basis functions,

$$\langle B_{i,\tau,k}(t), B_{j,\tau,k}(t) \rangle = \int B_{i,\tau,k}(t) B_{j,\tau,k}(t) dt.$$

One option is to limit these computations to uniform knot sequences only, removing half the knots each time, effectively doubling the knot spacing. This approach was taken by [FS94, GC95] and it allows one to precompute the B-wavelets once for each order.

For non uniform knot sequences the B-wavelets must be computed every time and while one can reach interactive rates for curves with dozens of control points, this computation as already stated is expensive. Figure 3 presents few examples of B-wavelets. See [LM92, Elb92, KE97] for more on the computation of products and integrals of B-spline basis functions as well as more on this B-wavelet decomposition. A similar computation is also necessary toward the computation of $C_{i+1}(t)$ from $C_i(t)$, given the subspace Φ_i .




Fig. 3. B-Wavelets of a uniform quadratic (a), a uniform cubic (b), and a non uniform knot sequence of a cubic curve (c). The third knot from the left in (c) is a triple knot, resulting in a C^1 discontinuity in the B-Wavelet.

Due to the computational costs, alternatives were sought. One alternative is to approximate the low resolution projection using a simple least squares fit [EG95]. Given $C_i(t) \in \Phi_i$, find a least squares fit $C_{i+1}(t) \in \Phi_{i+1}$ to $C_i(t)$ by sampling $C_i(t)$ at m locations, $m \gg n_{i+1}$, n_{i+1} the number of coefficients in $C_{i+1}(t)$. Nevertheless, for the task in hand of interactive multiresolution manipulation with constraints, this B-wavelet decomposition is not really necessary! Consider curve $C_i(t) \in \Phi_i$, $\Phi_i \subset \Phi_0$. Now consider a change of a single control point in $C_0(t)$ against a change of a single control point in $C_i(t)$. The latter will clearly affect a larger domain of the original curve $C(t) = C_0(t) \in \Phi_0$ compared to a change in $C_0(t)$. A single control point P_j is supported along the non zero domain of its basis function $B_j(t)$. The less interior knots there are, the larger the domain of $B_j(t)$ is.

Then, a modification to the shape using a change in curve $C_i(t) \in \Phi_0$ could be added to the original curve $C_0(t)$ using knot insertion [GL93], refining

$C_i(t)$ at all the knots of τ_0/τ_i . In practice, direct manipulation is preferred over control point manipulation, hiding the representation (i.e. control points) from the novice user. If point $C(t_1)$ is directly selected and dragged along the vector \mathbf{V} to $C(t_1) + \mathbf{V}$, a new $\Delta_i(t) \in \Phi_i$ curve could be constructed as

$$\Delta_i(t) = \frac{1}{\sigma} \sum_{i=0}^{n_i} B_{i,\tau_i,k}(t_1) B_{i,\tau_i,k}(t),$$

using the support of the different basis functions at t_1 as the weights and

$$\sigma = \sum_{i=0}^{n_i} (B_{i,\tau_i,k}(t_1))^2 = \sum_{i=J-k+1}^J (B_{i,\tau_i,k}(t_1))^2, \quad t_J \leq t_1 < t_{J+1},$$

yielding $\Delta_i(t_1) = 1$.

Linear constraints

Multiresolution editing has a drawback we already discussed. It can be imprecise. We now aim to add support for constraints to our multiresolution editing capabilities. To begin with, we consider the two simple linear constraints of position and tangency.

Recall curve $C(t) = \sum_{i=0}^n P_i B_{i,\tau_i,k}(t)$. A positional constraint could be prescribed as $C(t_p) = P$. Then, if the original curve satisfies the constraint or $C(t_p) = C_0(t_p) = P$, we are now required to have $\Delta_i(t_p) = 0$, an additional linear constraint that is easy to satisfy. In practice, two possible simple approaches could be employed to solve this underconstrained linear system, having $\Delta_i(t_p) = 0$ and $\Delta_i(t_1) = 1$ as constraints and achieving an L_2 minimizing solution elsewhere along the domain. Either the singular value decomposition (SVD) or the QR factorization [GV96] of the linear systems of equations would do. Interestingly enough, the QR factorization is also employed by [WW92] for similar reasons.

A tangential constraint could be supported in an almost identical way. Here, $C'(t_T) = T$ and $C'(t)$, that is expressed in terms of basis functions one degree lower, is elevated back to the same function space using degree elevation, resulting again in a linear alternative constraint to satisfy $\Delta'_i(t_T) = 0$. Second order or even higher derivatives constraints could easily be incorporated as well, in a similar fashion. Figure 4 shows one example of multiresolution editing with positional and tangential constraints.

Other linear constraints could also be supported with some more effort. A planar curve, having the domain of $t \in [0, 1]$, is considered x -symmetric if $x(t) = x(1-t)$ and $y(t) = -y(1-t)$. Analogously, one can define y -symmetry and even rotational symmetry as $x(t) = -x(1-t)$ and $y(t) = -y(1-t)$. Assuming a symmetric knot sequence, that is $\tau_{i+1} - \tau_i = \tau_{k+n-i-1} - \tau_{k+n-i-2}$, $0 \leq i \leq n/2$,



Fig. 4. Multiresolution editing without (a), and with two positional (b), and three tangential (c) linear constraints.

$$c(1-t) = \sum_{i=0}^{n-1} P_i B_i(1-t) = \sum_{i=0}^{n-1} P_i B_{n-1-i}(t) = \sum_{i=0}^{n-1} P_{n-1-i} B_i(t)$$

due to the symmetry of the basis functions. But now the constraint of $x(t) = x(1-t)$ reduces to

$$\sum_{i=0}^{n-1} x_i B_i(t) = \sum_{i=0}^{n-1} x_{n-1-i} B_i(t), \quad \text{or} \quad \sum_{i=0}^{n-1} (x_i - x_{n-1-i}) B_i(t) = 0.$$

Hence and because of the independence of the basis functions, the symmetry constraint is now reduced to $O(n/2)$ linear constraints of the form

$$x_i = x_{n-1-i}, \quad i = 0, \dots, \left\lfloor \frac{n}{2} \right\rfloor - 1,$$

and

$$y_i = -y_{n-1-i}, \quad i = 0, \dots, \left\lfloor \frac{n}{2} \right\rfloor - 1.$$

Finally, we consider area constraints. The area of a closed curve equals,

$$\begin{aligned} \mathcal{A} &= \frac{1}{2} \oint -x'(t)y(t) + x(t)y'(t) dt, \\ &= \oint - \sum_i x_i B'_{i,k}(t) \sum_j y_j B_{j,k}(t) + \sum_i x_i B_{i,k}(t) \sum_j y_j B'_{j,k}(t) dt \\ &= \sum_i x_i \sum_j y_j \oint -B'_{i,k}(t) B_{j,k}(t) + B_{i,k}(t) B'_{j,k}(t) dt. \\ &= [x_0, x_1, \dots, x_{n-1}] \begin{bmatrix} \xi_{0,0} & \xi_{0,1} & \cdots & \xi_{0,n-1} \\ \xi_{1,0} & \xi_{1,1} & \cdots & \xi_{1,n-1} \\ \vdots & \vdots & \ddots & \vdots \\ \xi_{n-1,0} & \xi_{n-1,1} & \cdots & \xi_{n-1,n-1} \end{bmatrix} \begin{bmatrix} y_0 \\ y_1 \\ \vdots \\ y_{n-1} \end{bmatrix}, \end{aligned}$$

where

$$\xi_{i,j} = \oint -B'_{i,k}(t) B_{j,k}(t) + B_{i,k}(t) B'_{j,k}(t) dt$$

$$\begin{aligned}
 &= \oint -(k-1) \left(\frac{B_{i,k-1}(t)}{t_{i+k-1} - t_i} - \frac{B_{i+1,k-1}(t)}{t_{i+k} - t_{i+1}} \right) B_{j,k}(t) \\
 &\quad + (k-1) \left(\frac{B_{j,k-1}(t)}{t_{j+k-1} - t_j} - \frac{B_{j+1,k-1}(t)}{t_{j+k} - t_{j+1}} \right) B_{i,k}(t) dt.
 \end{aligned}$$

The area constraint is not linear. Nonetheless, it is a bilinear constraint so one could fix the x_i coefficients, resulting in a linear constraint in y_i and then reverse the role of x_i and y_i , in the next iterations. During an interactive session when the user select-and-drag curve's locations we are in need of solving these constraints every mouse event or almost every pixel. This interleaving process becomes fully transparent to the end user at such low granularity.

Figure 5 shows two examples of direct manipulation of freeform curves under symmetry and area constraints. The curves were directly manipulated in real time while the symmetry and/or area constraints are fully preserved. More on the symmetry and area constraints in multiresolution editing as well as the special case of linear curves and the extension to freeform surfaces could be found in [Elb01].




Fig. 5. Y-symmetry constraint (a) and area constraint (b) are employed in multiresolution context. These two examples were created in few seconds using direct curve manipulation under constraints.

5.2 Area and length preserving MR curve editing

In a wavelet based multiresolution setting complex objects can be edited at a chosen scale with mainly two effects: First, modifying some low-resolution control points and add back the details modifies the overall shape of the object. Second, modifying a set of fine detail coefficients modifies the character

of the object without affecting its overall shape. In this section a wavelet based multiresolution editing method is presented, that entirely integrates the constant area constraint completely into the multiresolution formulation of the deformation.

Wavelet based MR curve

Let us briefly sketch the notation of the wavelet based multiresolution analysis that will be used in this section. For more details see [Mal89, FS94, SDS96]. Suppose we have a certain functional space E and some nested linear *approximation spaces* $V^j \subset E$ with $V^0 \subset V^1 \subset \dots \subset V^n$. Since we are dealing with closed curves, these spaces have finite dimension. Let V^j be spanned by a set of basis functions $\varphi^j = [\varphi_1^j, \dots, \varphi_m^j]^T$, called *scaling functions*. A space W^j being the complement of V^j in V^{j+1} is called the *detail space*. Its basis functions $\psi^j = [\psi_1^j, \dots, \psi_{N-m}^j]^T$ are such that together with φ^j they form a basis of V^{j+1} . The functions ψ_i^j are called *wavelets*. The space V^n can therefore be decomposed as follows:

$$V^n = V^{n-1} \oplus W^{n-1} = V^{n-2} \bigoplus_{j=n-2}^{n-1} W^j = \dots = V^0 \bigoplus_{j=0}^{n-1} W^j. \quad (2)$$

A **multiresolution curve** is then defined as a planar parametric curve $c(t) = (x^n)^T(\varphi^n)$, element of V^n , where x^n is a column of control points $x_0^n, \dots, x_{D_{2^n}}^n \in \mathbb{R}^2$. Due to property (2) the same curve can be expressed in terms of the basis functions of the different decompositions of V^n , each of it corresponding to a certain resolution of the curve. The multiresolution curve at any **level of resolution** $L \in [0, n]$, i.e. element of $V^L \bigoplus_{j=L}^{n-1} W^j$ is then given by some coarse control points x^L that form approximations of the initial control polygon and by the detail coefficients d^L, \dots, d^{n-1} as follows:

$$\mathbf{c}(t) = (\mathbf{x}^L)^T(\varphi^L) + (\mathbf{d}^L)^T(\psi^L) + \dots + (\mathbf{d}^{n-1})^T(\psi^{n-1}), \quad L = 0, \dots, n.$$

The *filter bank* algorithm [Mal89, FS94] is used to compute the coefficients of all levels of resolutions from the initial coefficients x^n and vice versa.

Area preserving deformation of a MR curve

An advantage of a MR representation of the curve is that LOD editing consists of simply applying deformations on the coarse control points at some level L , the overall shape of the curve is therefore modified and the fine details are preserved, see Fig. 6 (a,b).

However the enclosed area of a (closed) modified curve is generally not preserved. In [HBS02] it has been shown that the constant area constraint can be integrated completely into the MR editing process. To this end a MR




Fig. 6. Area preserving multiresolution deformation. (a) original curve and coarse control polygon, $n = 7, L = 2$. (b) deformed curve without area constraint (green). (c) deformed area preserving curve (red).

formula of the area constraint has been developed that allows one to compute the area of a curve in terms of the coefficients at any resolution level L .

The area (see Sect. 5.1) of a multiresolution curve can now be evaluated at any level of resolution L in terms of the bilinear equation

$$2\mathcal{A} = (\mathbf{X}^L) \begin{bmatrix} M^L \end{bmatrix} (\mathbf{Y}^L)^T, \quad \forall L \in \{0, \dots, n\},$$

where X^L and Y^L are the line vectors of the x- and y-coordinates resp. of all coarse and wavelet coefficients of the MR representation of the curve, i.e.

$$\begin{pmatrix} \mathbf{X}^L \\ \mathbf{Y}^L \end{pmatrix} = (\mathbf{x}^L, \mathbf{d}^L, \mathbf{d}^{L+1}, \dots, \mathbf{d}^{n-1}),$$

and

$$M^L = \begin{bmatrix} I(\varphi^L, \varphi^L) & I(\varphi^L, \psi^l)_{l=L}^{n-1} \\ I(\psi^k, \varphi^L)_{k=L}^{n-1} & I(\psi^k, \psi^l)_{k,l=L}^{n-1} \end{bmatrix}.$$

Note that φ^L and ψ^k are vector notations. Therefore the elements of the previous area-matrix are in fact block matrices whose elements are of type $I(\varphi_i, \psi_j) = \oint \varphi_i(t)\psi_j'(t) - \varphi_i'(t)\psi_j(t)dt$ and whose sizes vary in function of the resolution level L . It has been shown in [HBS02] that the area matrices M^L can be computed efficiently by recursively applying the refinement equations.

The *area preserving editing process* now works as follows: Let \mathcal{A}_{ref} be the reference area to be preserved. After choosing the **decomposition** level L , the user modifies one or more coarse control points (Fig. 6(b)), defining the desired **deformation**. Let $(X_0, Y_0)^T$ denote the coefficient vectors of the deformed MR curve at level L . The algorithm then computes new positions, denoted by $(X, Y)^T$, of the coarse control points (and possibly the detail coefficients) such that they are as close as possible to the user defined deformation while **preserving the area** \mathcal{A}_{ref} , see Fig. 6(c). The last step remains to solve the following min-max problem:

$$\max_{\lambda} \min_{X, Y} (|X - X_0|^2 + |Y - Y_0|^2) + \lambda(XMY^T - 2\mathcal{A}_{ref}).$$

If only local area preserving deformations are desired, the degrees of freedom in $(X, Y)^T$ can be reduced to a user-defined subset of control points. Figure 7 shows an example, where the upper left coarse control point has been kept fixed during deformation and area preservation.



Fig. 7. Local area preserving multiresolution deformation. $n = 7$, $L = 2$. original curve (blue), deformed curve at level 2 (green), area preserving deformed curve at level 2 (red).

Length preserving deformation of a MR curve

Deformation of curves with constant length is needed typically if one wants to create wiggles or folding of a curve. Sauvage et al. [SHB03] developed a multiresolution approach of length preserving curve deformation for the particular case of piecewise linear curves using the Lazy wavelets [Swe97]. Let $c(t)$ be a polyline of control points c_i^n . Coarse coefficients and wavelet coefficients are then computed by

$$\begin{cases} x_i^j = x_{2i}^{j+1} \\ d_i^j = x_{2i+1}^{j+1} - \frac{1}{2}(x_{2i}^{j+1} + x_{2i+2}^{j+1}) . \end{cases}$$

In the case of polylines the length is given by $L = \sum_{i=0}^{N-2} \|c_{i+1}^n - c_i^n\|_2$. One can either keep the total length constant or preserve the length of each segment. We choose the second way because of two main reasons:

- It ensures the balance between segment's length that is to say the control points don't gather in a small part of the curve.
- It allows the length constraints to be expressed in such a way that computationally inefficient square root evaluations can be avoided.

The length constraint being a non-linear functional has no multiresolution representation as does the area constraint. However in [SHB03] it is shown that length preserving MR curve editing offers a direct control of wrinkle generation. The level of resolution L where the length adaptation is performed has two advantages. First, wrinkles can be generated locally on a user defined extent, and magnitude and frequency of the wrinkles can be controlled.

The algorithm works in two steps. Once the user has defined the deformation by modifying some coarse control points at an arbitrary scale, he fixes the level of resolution L where he wants the length preserving being done. In other words, with L he chooses the extent and frequency of wrinkle creation. Following some geometric rules, the detail coefficients of the deformed curve

belonging to level $L + 1$ are then modified in order to make the control polygon at level $L + 1$ having the same length as the level $L + 1$ control polygon of the initial curve. The second step of the algorithm consists then of length preserving by smoothing via an optimization method and precisely satisfies the length constraint.




Fig. 8. Length preserving MR editing: Two successive deformations at different levels of decomposition are shown. The initial curve (a) is edited at the coarsest level. (b) Its length is adapted at the scale $L = 1$ resulting in large wrinkles. (c), (d) Two neighbouring control points are moved closer at the scale 3 and length preserving at scale $L = 6$ creates small wrinkles.




Fig. 9. Wrinkles on the back of the hand by length preserving MR deformation. The scheme has been applied on several lines of a triangular mesh modeling a hand. It creates wrinkles at the back of the hand automatically by pinching the skin. The skin is also stretched around the wrinkles. The model is purely geometric, no time consuming physical simulation is used.

5.3 Variational MR curves

The variational modeling paradigm is used in order to find the "best" curve or surface amongst all solutions that meet the constraints. The constraints may result from the particular modeling technique used, for example sample point approximation, or direct curve manipulation (see Sect. 2.1. In the context of smooth curve and surface design the notion of "best" is formulated by minimizing some energy functional, see Sect. 4.1.

Gortler and Cohen [GC95] show how the variational constraint, which generalizes least squares, can be solved through a MR formulation of a planar curve. A wavelet based MR curve satisfying some linear constraints and minimizing a linearized bending energy functional may be found by solving the following linear system [WW92]

$$\begin{bmatrix} \bar{H} & \bar{A}^T \\ \bar{A} & 0 \end{bmatrix} \begin{bmatrix} \bar{\mathbf{x}} \\ \lambda \end{bmatrix} = \begin{bmatrix} 0 \\ \mathbf{b} \end{bmatrix},$$

where \bar{A} is the constraint matrix, \bar{H} is the Hessian matrix of the basis functions, and λ is the vector of Lagrange multipliers. The bars signify that the variables are wavelet coefficients. Gortler and Cohen show then how wavelets allow to accelerate the iterative conjugate-gradient-solving of the variational problem.

5.4 Multiresolution Subdivision methods with constraints

Subdivision has become a popular tool in computer graphics. Much literature derives and analyzes new subdivision algorithms for curves, surfaces and solids. For an overview see the SIGGRAPH 2000 course notes [ZS00] and the textbook [WW01]. Subdivision curves and surfaces are intrinsically hierarchical. Different levels of subdivision of a coarse mesh provide different levels of resolution. Constrained modeling techniques can then interact with different subdivision levels in order to obtain particular local design effects.

MacCracken and Joy [MJ96] developed an extension of Catmull-Clark subdivision surfaces to the volumetric setting, mainly for the purpose of freeform deformation in 3D space. Qin et al. [QMV98] introduced dynamic Catmull-Clark subdivision surfaces. McDonnell and Qin [MQ00] simulate volumetric subdivision objects using a mass-spring model. A generalization of McDonnell et al. [MQW01] includes haptic interaction. Capell et al. [CGC02] use the subdivision hierarchies to construct a hierarchical basis to represent displacements of a solid model for dynamic deformations. Additionally, some linear constraints, such as point displacements can be added at any level of subdivision.

Variational subdivision is another modeling technique, where constraints are combined with classical subdivision. Instead of applying explicit rules for the new vertices, Kobbelt's [Kob96] variational subdivision scheme computes the new vertices such that a fairness functional is minimized. At each step a linear system has to be solved. The resulting curves have minimal total curvature. Furthermore, in [KS98] is shown how wavelets can be constructed by using the Lifting Scheme [Swe97] which are appropriate for variational subdivision curves. Weimer and Warren [WW98a, WW98b, WW99] developed variational subdivision schemes that satisfy partial differential equations, for instance, fluid or thin-plate equations.

Multiresolution subdivision surfaces extend subdivision surfaces by introducing details at each level. Each finer mesh is obtained from a coarse mesh by using a set of fixed refinement rules, e.g. Loop subdivision or Catmull-Clark subdivision. Each time a finer mesh is computed, it is obtained by adding detail offsets to the subdivided coarse mesh. Details are represented in local coordinate frames, which are computed from the coarser level. Various forms of multiresolution subdivision surfaces can be found in [LDW97, ZSS97, LMH00].

Several constrained modeling techniques have been developed by Zorin, Biermann and co-workers for multiresolution surface. A cut-and-paste editing technique for multiresolution surfaces has been proposed in [BMB02]. In [BMZ01] Biermann et al. describe a method for creating sharp features and trim regions on multiresolution subdivision surfaces along a set of user-defined curves. A method for approximating results of boolean operations (union, intersection, difference) applied to free-form solids bounded by multiresolution subdivision surfaces can be found in [BKZ01].

6 Conclusion

In this paper geometric modeling techniques have been surveyed that all make use of constraints of different nature in order to provide high-level user friendly manipulation tools of geometric objects. Basic research, developing new curve and surface representation, is going on and new deformation and editing tools have to be invented. For example, it is still a challenge to develop modeling tools for subdivision surfaces equivalent to those existing for NURBS surfaces.

Acknowledgement This work was partially supported by the European Community 5-th framework program, with the Research Training Network MINGLE (Multiresolution IN Geometric modELing, HPRN-1999-00117) and in part by the Fund for Promotion of Research at the Technion, IIT, Haifa, Israel.

References

- [BBF99] Barghiel C., Bartels R., Forsey D.: Pasting Spline Surfaces. In Daehlen M., Lyche T., Schumaker L.L. (eds.), *Mathematical Methods for Curves and Surfaces*, Ulvik, Vanderbilt University Press, 31-40 (1999).
- [BB89] Bartels, R., Beatty, J.: A technique for the direct manipulation of spline curves. In *Graphics Interface Conference Proceedings'89*, 33-39 (1989).
- [BB00] Bidarra R., Bronsvort W.F.: Semantic feature modelling. *Computer Aided Design* **32**, 201–225 (2000).
- [BKZ01] Biermann H., Kristjansson D., Zorin D.: Approximate Boolean Operations on Free-form Solids. In *ACM SIGGRAPH Conference Proceedings*. Los Angeles, 185-194 (2001).
- [BMZ01] Biermann H., Martin I.M., Zorin D., Bernardini F.: Sharp Features on Subdivision Surfaces. In *Pacific Graphics Conference Proceedings*. Tokyo, Japan (2001).
- [BMB02] Biermann H., Martin I.M., Bernardini F., Zorin D.: Cut-and-Paste Editing of Multiresolution surfaces. In *ACM SIGGRAPH Conference Proceedings*, 187–196 (2002).
- [BS91] Bloomenthal J., Shoemake K.: Convolution surfaces. In *ACM SIGGRAPH Conference Proceedings*, Las Vegas, Nevada, (1991).

- [Blo97] Bloomenthal J. (editor): Introduction to Implicit Surfaces. Morgan Kaufmann (1997).
- [BH94] Bonneau G.P., Hagen H.: Variational design of rational Bézier curves and surfaces. In Laurent P.J., Le Méhauté A., Schumaker L.L. (eds.) Curves and Surfaces II, 51–58 (1994).
- [BHN96] Bonneau G.-P., Hahmann S., Nielson G.: Blac-wavelets: a multiresolution analysis with non-nested spaces. In Visualization Conference Proceedings, 43–48 (1996).
- [Bon98] Bonneau G.-P.: Multiresolution analysis on Irregular Surface Meshes. IEEE Transactions on Visualization and Computer Graphics, **4**, 365-378 (1998).
- [BR94] Borel P., Rappoport A.: Simple constrained deformations for geometric modeling and interactive design. ACM Transactions on Graphics, **13**(2), 137–155 (1994).
- [CD97] Cani-Gascuel M.-P., Desbrun M.: Animation of deformable models using implicit surfaces. IEEE Transactions on Visualization and Computer Graphics **3**(1), 39–50 (1997).
- [Can98] Cani-Gascuel M.-P.: Layered deformable models with implicit surfaces. In Graphics Interface Conference Proceedings, Vancouver, Canada (1998).
- [CGC02] Capell S., Green S., Curless B., Duchamp T., Popovic Z.: A Multiresolution Framework for Dynamic Deformations. In ACM SIGGRAPH Symposium on Computer Animation, 41–48 (2002).
- [CM92] Cavendish J.C., Marin S.P.: A procedural feature-based approach for designing functional surfaces. In Hagen H. (ed.) Topics in Surface Modeling. SIAM, Philadelphia (1992).
- [CG91] Celniker G., Gossard, D.: Deformable curve and surface finite-elements for free-form shape design. In ACM SIGGRAPH Conference Proceedings, 257-266 (1991).
- [CW92] Celniker G., Welch, W.: Linear constraints for deformable b-spline surfaces. In Symposium on Interactive 3D Graphics, 165-170 (1992).
- [CZK98] Chen Y., Zhu Q., Kaufman A., Muraki S.: Physically-based animation of volumetric objects. In Proceedings of IEEE Computer Animation, 154-160 (1998).
- [CQ92] Chui C., Quak E.: Wavelets on a bounded interval. In Braess D., Schumaker L.L. (eds.) Numerical Methods of Approximation Theory. Birkhäuser Verlag, Basel, 1–24 (1992).
- [CMP97] Cignoni P., Montani C., Puppo E., Scopigno R.: Multiresolution Representation and Visualization of Volume Data. IEEE Trans. on Visualization and Comp. Graph., **3** (4), 352-369 (1997).
- [CRE01] Cohen E., Riesenfeld R.F., Elber G.: Geometric Modeling with Splines: An Introduction. AK Peters (2001).
- [CM99] Conrad B., Mann S.: Better Pasting via Quasi-Interpolation. In Laurent P.J., Sablonniere P., Schumaker L.L. (eds.), Curve and Surface Design, Saint-Malo, Vanderbilt University Press, 27-36 (1999).
- [Coq90] Coquillart S.: Extended free-form deformation: A sculpturing tool for 3D geometric modeling. In ACM SIGGRAPH Conference Proceedings, 187–196 (1990).
- [DP98] Dankwort C.W., Podehl G.: FIORES - A European Project for a New Workflow in Aesthetic Design. VDIBerichte Nr. 1398, 177-192 (1998).

- [DFG94] De Martino T., Falcidieno B., Giannini F., Hassinger S., Ovtcharova J.: Integration of Design-by-features and Feature Recognition approaches. *Computer Aided Design*, **26**, 646-653 (1994).
- [DG95] Desbrun M., Gascuel M.-P.: Animating soft substances with implicit surfaces. In *ACM SIGGRAPH Conference Proceedings*, 287-290 (1995).
- [DC98] Desbrun M., Cani-Gascuel M.-P.: Active implicit surface for computer animation. In *Graphics Interface Conference Proceedings*, Vancouver, Canada (1998).
- [DKB96] Dohmen M., de Kraker K.J., Bronsvort W.F.: Feature validation in a multiple-view modeling system. In *Proceedings of the 1996 ASME Design Engineering Technical Conferences and Computers in Engineering Conference*, Irvine (1996).
- [EDD95] Eck M., DeRose T., Duchamp T., Hoppe H., Lounsbery T., Stuetzle W.: Multiresolution analysis of arbitrary meshes. In *ACM SIGGRAPH Conference Proceedings*, 173-182 (1995).
- [Elb92] Elber G.: Free Form Surface Analysis Using A Hybrid of Symbolic and Numerical Computation. PhD thesis, Department of Computer Science, The University of Utah (1992).
- [EG95] Elber G., Gotsman G.: Multiresolution Control for Nonuniform B-spline Curve Editing. In *The third Pacific Graphics Conference on Computer Graphics and Applications*, Seoul, Korea, 267-278 (1995).
- [Elb01] Elber G.: Multiresolution Curve Editing with Linear Constraints. *The Journal of Computing & Information Science in Engineering*, **1**(4), 347-355 (2001).
- [FRS87] Farin G., Rein G., Sapidis N., Worsey A.J.: Fairing cubic B-spline curves. *Computer Aided Geometric Design* **4**, 91-103 (1987).
- [Far96] Farin G.: *Curves and Surfaces for Computer Aided Geometric Design*. Academic Press, New York, 4th edition (1996).
- [FS94] Finkelstein A., Salesin D.H.: Multiresolution curves, In *ACM SIGGRAPH Conference Proceedings*, 261-268 (1994).
- [FGM99] Fontana M., Giannini F., Meirana M.: A Free Form Feature Taxonomy. In *Proceedings of EUROGRAPHICS*, *Computer Graphics Forum*, **18**(3), 646-653 (1994).
- [FB88] Forsey D., Bartels R.: Hierarchical B-spline refinement. In *ACM SIGGRAPH Conference Proceedings*, 205-212 (1988).
- [Fow92] Fowler B.: Geometric manipulation of tensor product surfaces. In *Symposium on Interactive 3D Graphics*, 101-108 (1992).
- [FB93] Fowler B., Bartels R.: Constraint-based curve manipulation. *IEEE Computer Graphics and Applications*, **13**(5), 43-49 (1993).
- [GD01] Gain J.E., Dodgson N.E.: Preventing self-intersection under free-form deformation. *IEEE Transactions on Visualization and Computer Graphics*, **7**(4), 289-298 (2001).
- [GL93] Goldman R.N., Lyche T. (Eds.): *Knot Insertion and Deletion Algorithms for B-Spline Curves and Surfaces*. SIAM Press, Philadelphia (1993).
- [GV96] Golub G.H., Van Loan C.F.: *Matrix Computation*. The John Hopkins University Press, Baltimore and London, Third Edition (1996).
- [GC95] Gortler S., Cohen M.: Hierarchical and variational geometric modeling with wavelets. In *1995 Symposium on 3D Interactive Graphics*, 35-41 (1995).

- [Gre94] Greiner G.: Variational design and fairing of spline surfaces. In Eurographics Conference Proceedings, 143–154 (1994).
- [GL96] Greiner G., Loos J.: Data dependent thin plate energy and its use in interactive surface modeling. In Eurographics Conference Proceedings, 176–185 (1996).
- [HS87] Hagen H., Schulze G.: Automatic smoothing with geometric surface patches. *Computer Aided Geometric Design*, **4**, 231–236 (1994).
- [HS92] Hagen H., Santarelli P.: Variational design of smooth B-spline surfaces. In Hagen H. (ed.) *Topics in geometric modeling*. SIAM Philadelphia, 85–94 (1992).
- [Hah98] Hahmann S.: Shape improvement of surfaces. *Computing Suppl.*, **13**, 135–152 (1998).
- [HBS02] Hahmann S., Bonneau G.-P., Sauvage B.: Area preserving deformation of multiresolution curves. *Research Report, IMAG RR-1062-I* (2002).
- [HML99] Hirota G., Maheshwari R., Lin M.C.: Fast volume-preserving free-form deformation using multi-level optimization. In *Proceedings of Solid Modeling*, 234–245 (1999).
- [Hop96] Hoppe H.: Progressive meshes. In *ACM SIGGRAPH Conference Proceedings*, 99–108 (1996).
- [HL93] Hoschek J., Lasser D.: *Fundamentals of Computer Aided Geometric Design*. A.K. Peters (1993).
- [HHK92] Hsu W.M., Hughes J.F., Kaufman H.: Direct manipulation of free-form deformations. In *ACM SIGGRAPH Conference Proceedings*, 177–184 (1992).
- [KE97] Kazinnik R., Elber G.: Orthogonal Decomposition of Non-Uniform B-spline Spaces using Wavelets. *Computer Graphics Forum*, **16**(3), 27–38 (1997).
- [Kob96] Kobbelt L.: A variational approach to subdivision. *Computer Aided Geometric Design*, **13**, 743–761 (1996).
- [KS98] Kobbelt L., Schröder P.: A Multiresolution Framework for Variational Subdivision. *ACM Trans. on Graph.*, **17**(4), 209–237 (1998).
- [KCV98] Kobbelt L., Campagna S., Vorsatz J., Seidel HP.: Interactive multiresolution modeling on arbitrary meshes. In *ACM SIGGRAPH Conference Proceedings*, 105–114 (1998).
- [Las87] Lassiter J.: Principles of traditional animation applied to 3D computer animation. In *ACM SIGGRAPH Conference Proceedings*, 45–44 (1987).
- [LMH00] Lee A., Moreton H., Hoppe H.: Displaced subdivision surfaces. In *ACM SIGGRAPH Conference Proceedings*, 85–94 (2000).
- [LM92] Lyche T., Morken K.: Spline wavelets of minimal support. In Braess D., Schumaker L.L. (eds.) *Numerical Methods of Approximation Theory*. Birkhäuser Verlag, Basel, 177–194 (1992).
- [LC87] Lorensen W., Cline H.: Marching cubes: a high resolution 3D surface construction algorithm. In *ACM SIGGRAPH Conference Proceedings*, Anaheim California, 163–169 (1987).
- [LDW97] Lounsbery M., De Rose T., Warren J.: Multiresolution analysis for surfaces of arbitrary topological type. *ACM Transaction on Graphics*, **16**(1), 34–73 (1997).
- [MJ96] MacCracken R., Joy K.I.: Free-form deformations with lattices of arbitrary topology. In *ACM SIGGRAPH Conference Proceedings*, 181–188 (1996).

- [Mal89] Mallat S.: A theory for multiresolution signal decomposition: the wavelet representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **11**, 674–693 (1989).
- [MY01] Mann S., Yeung T.: Cylindrical Surface Pasting. In Brunnett G., Bieri H.P., Farin G. (eds.) *Geometric Modeling*, Springer-Wien, 233-248 (2001).
- [MQ00] McDonnell K.T., Qin H.: Dynamic sculpting and animation of free-form subdivision solids. In *Proceedings of IEEE Computer Animation 2000*, 126-133 (2000).
- [MQW01] McDonnell K.T., Qin H., Wlodarczyk R.A.: Virtual clay: A real-time sculpting system with haptic toolkits. In *Proceedings of the 2001 ACM-Symposium on Interactive 3D Graphics*, 179-190 (2001).
- [Meh74] Mehlum E.: Non-linear spline. In Barnhill R.E., Riesenfeld R.F. (eds.) *Computer Aided Geometric Design*. Academic Press, 173–208 (1974).
- [MS92] Moreton H.P., Séquin C.H.: Functional optimisation for fair surface design. *Computer Graphics*, **26**(2), 167–176 (1992).
- [PAS95] Pasko A., Adzhiev V., Sourin A., Savchenko V.: Function representation in geometric modeling: Concepts, implementation and applications. *The Visual Computer*, **11**(8), 429–446 (1995).
- [PW89] Pentland A., Williams J.: Good vibrations: Modal dynamics for graphics and animation. In *ACM SIGGRAPH Conference Proceedings*, 215-222 (1989).
- [PGL02] Pernot J.P., Guillet S., Leon J.C., Giannini F., Falcidieno B., Catalano E.: A Shape Deformation Tool to Model Character Lines in the Early Design Phases. In *Conference Proceedings of Shape Modeling International*, Banff, Canada (2002).
- [PLH02] Pottmann H., Leopoldseder S., Hofer M.: Approximation with active B-Spline curves and surfaces. In *Pacific Graphics Conference Proceedings*, 8-25 (2002).
- [QMV98] Qin H., Mandal c., Vemuri B.C.: Dynamic Catmull-Clark subdivision surfaces. *IEEE Transactions on Visualization and Computer Graphics*, **4**(3), 215-229 (1998).
- [RSB95] Rappoport A., Sheffer A., Bercovier M.: Volume-preserving free-form solids. In *Solid Modeling Conference Proceedings*, 361-372 (1995).
- [RE99] Raviv A., Elber G.: Three Dimensional Freeform Sculpting Via Zero Sets of Scalar Trivariate Functions. *CAD*, **32** (8/9), 513-526 (2000).
- [Rei67] Reinsch C.H.: Smoothing by spline functions II. *Num. Math.*, **16**, 451–454 (1967).
- [RV82] Requicha A.A., Voelcker U.B.: Solid modeling: a historical summary and contemporary assessment. *IEEE Computer Graphics and Applications*, **2**, 9–23 (1982).
- [RR92] Requicha A.A., Rossignac J.R.: Solid modeling and beyond. *IEEE Computer Graphics and Applications*, **12**, 31-44 (1992).
- [Ros90] Rossignac J.R.: Issues on feature-based editing and interrogation of solid models. *Comp. Graph.* **14**(2), 149-172 (1990).
- [SHB03] Sauvage B., Hahmann S., Bonneau G.-P.: Length preserving multiresolution editing of curves. preprint (2003).
- [SS95] Schröder P., Sweldens W.: Spherical Wavelets: efficiently representing functions on the sphere. In *ACM SIGGRAPH Conference Proceedings*, 161–172 (1995).

- [SP86] Sederberg T.W., Parry S.R.: Free-form deformation of solid geometric models. In ACM SIGGRAPH Conference Proceedings, 151–160 (1986).
- [SHC01] Shi-Min H., Hui Z., Chiew-Lan T., Jia-Guang S.: Direct manipulation of fd: Efficient explicit solutions and decomposable multiple point constraints. *The Visual Computers*, **17**(6), 370–379 (2001).
- [SDS96] Stollnitz E., DeRose T., Salesin D.: *Wavelets for Computer Graphics: Theory and Applications*. Morgan-Kaufmann (1996).
- [Swe97] Sweldens W.: The lifting scheme: a construction of second generation wavelets. *SIAM J. Math. Anal.*, **29**(2), 511–546 (1997).
- [TPB87] Terzopoulos D., Platt J., Barr A., Fleischer K.: Elastically deformable models. In ACM SIGGRAPH Conference Proceedings (1987).
- [TF88] Terzopoulos D., Fleischer K.: Modeling inelastic deformation: viscoelasticity, plasticity, fracture. In ACM SIGGRAPH Conference Proceedings, 269–278 (1988).
- [TQ94] Terzopoulos D., Qin H.: Dynamic NURBS with geometric constraints for interactive sculpting. *ACM Transactions on Graphics*, **13**(2), 103–136 (1994).
- [VVB03] van den Berg E., van der Meiden R., Bronsvort W.F.: Specification of freeform features. *Proceedings Eighth Symposium on Solid Modeling and Applications* (2003).
- [Vos99] Vosniakos G.C.: Investigation of feature-based product modelling for mechanical parts with free-form surfaces. *International Journal of Advanced Manufacturing Technology*, **15**, 188–199 (1999).
- [WW98a] Warren J., Weimer H.: Variational subdivision for natural cubic splines. *Approximation Theory IX*, 345–352 (1998).
- [WW01] Warren J., Weimer H.: *Subdivision Methods for Geometric Design: a constructive approach*. Morgan Kaufmann Publisher (2001).
- [WW98b] Weimer H., Warren J.: Subdivision schemes for thin plate splines. In *Eurographics Conference Proceedings*, 303–313 (1998).
- [WW99] Weimer H., Warren J.: Subdivision schemes for fluid flow. In *ACM SIGGRAPH Conference Proceedings*, 111–120 (1999).
- [WW92] Welch W., Witkin A.: Variational surface modeling. In *ACM SIGGRAPH Conference Proceedings*, 157–166 (1992).
- [WB98] Whitaker R., Breen D.: Level-set models for the deformation of solid objects. In *Implicit Surfaces98, Eurographics and ACM-Siggraph Workshop, Seattle*, 19–36 (1998).
- [WW90] Witkin A., Welch W.: Fast animation and control for non-rigid structures. In *ACM SIGGRAPH Conference Proceedings*, 243–252 (1990).
- [WMW86] Wyvill G., McPheeters C., Wyvill B.: Data structure for soft objects. *The Visual Computer*, **2**(4), 227–234 (1986).
- [WGG98] Wyvill A., Galin E., Guy A.: Extending the CSG tree warping, blending and boolean operations in an implicit surface modeling system. In *Implicit Surfaces, Eurographics and ACM-Siggraph Workshop, Seattle*, 113–122 (1998).
- [ZSS97] Zorin D., Schröder P., Sweldens W.: Interactive Multiresolution Mesh Editing. In *ACM SIGGRAPH Conference Proceedings*, 259–268 (1997).
- [ZS00] Zorin D., Schröder P.: *Subdivision for Modeling and Animation*. In *ACM SIGGRAPH Conference Proceedings, Course Notes* (2000).